Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp	
S1	7827	((709/203) or (709/229) or (709/238) or (709/249) or (710/52) or (713/151) or (370/217) or (370/230) or (370/235)).CCLS.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:22	
S2	80983	(("709") or ("710") or ("713") or ("370")).CLAS.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:24	
S3	8810	richardson.inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:25	
S4	311604	william.inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:25	
S5	444511	john.inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:25	
S6	67	S3 and S4 and S5	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:26	
S7	740882	(richardson john william).inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:26	
S8	11	("richardson john william").inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:28	
S9	72844	asynchronous	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:28	
S10	85847	(asynchronous near3 transfer near3 mode) or ("ATM")	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:32	
S12	3886	((asynchronous near3 transfer near3 mode) or ("ATM")) and (data near2 stream)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:33	
S13	154	((asynchronous near3 transfer near3 mode) or ("ATM")) and ((data near2 stream)same buffer same (customer or client or user)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:36	
S14	92	((asynchronous near3 transfer near3 mode) or ("ATM")) and ((data near2 stream) same buffer same (customer or client or user) same (receiv\$3 or send\$3))	USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/19 22:12	



S15	2	((asynchronous near3 transfer near3 mode) or ("ATM")) and ((data near2 stream) same buffer same (customer or client or user) same (receiv\$3 or send\$3)) and (physical with layer with recover\$3)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:43
S16	0	((asynchronous near3 transfer near3 mode) or ("ATM")) and ((data near2 stream near5 deliver\$3) same buffer same (customer or client or user) same (receiv\$3 or send\$3)) and (physical with layer with recover\$3)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:39
S17	23	((asynchronous near3 transfer near3 mode) or ("ATM")) and ((data near2 stream) same buffer same (customer or client or user) same (receiv\$3 or send\$3)) and (physical with layer)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:43
S18	16	((asynchronous near3 transfer near3 mode) or ("ATM")) and ((data near2 stream) same buffer same (customer or client or user) same (receiv\$3 or send\$3)) and (physical with layer) and server	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:44
S19	6	((asynchronous near3 transfer near3 mode) or ("ATM")) and ((data near2 stream) same buffer same (customer or client or user) same (receiv\$3 or send\$3)) and (physical with layer) and (server same buffer)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:44
S20	6	((asynchronous near3 transfer near3 mode) or ("ATM")) and ((data near2 stream) same buffer same (customer or client or user) same (receiv\$3 or send\$3)) and (physical with layer) and (server same buffer) and ((information or data) same rate)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 17:29
S21	4	((asynchronous near3 transfer near3 mode) or ("ATM")) and ((data near2 stream) same buffer same (customer or client or user) same (receiv\$3 or send\$3)) and (physical with layer) and (server same buffer) and (information or data) same rate) and (lost with(packet or data))	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 17:36

				, , , _ , 		
S22	3	((asynchronous near3 transfer near3 mode) or ("ATM")) and ((data near2 stream) same buffer same (customer or client or user) same (receiv\$3 or send\$3)) and (physical with layer) and (server same buffer) and ((information or data) same rate) and (lost with(packet or data)) and time	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 17:37
S23	64	(physical adj2 layer)near3 (loss\$3 or fail\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:35
S24	7182	((customer or user or subscriber)adj2 (premise or unit or site or location or device or computer or node)) with (receiv\$3 or obtain\$3 or get\$4) with data	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:16
S25	0	S23 same S24	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:19
S26	2120	((customer or user or subscriber)adj2 (premise or unit)) with (receiv\$3 or obtain\$3 or get\$4) with data	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:16
S27	0	S23 same S26	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:16
S28	2	S23 and S24	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:28
S29	2	S23 and S24 and server	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:28
S30	2	S23 and S24 and server and atm	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:29
S31	1	S23 and S24 and(server same atm)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:29
S32	1	S23 and S24 and server and atm and (buffer\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:30
S33	1	S23 and S24 and server and atm and (buffer\$3) and (rate with data)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:30
S34	1	S23 and S24 and server and atm and (rate with data)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:30

S35	2	S23 and S24 and server and atm	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:32
S36	1	S23 and S24 and server and atm and rate	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:32
S37	7	((physical adj2 layer)near3 (loss\$3 or fail\$3))same ((receiv\$3 or obtain\$3 or get\$4) with data)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:43
S38	0	((physical adj2 layer)near3 (loss\$3 or fail\$3))same ((receiv\$3 or obtain\$3 or get\$4) with data) and (server same atm)	USPAT; EPO; JPO; DERWENT	OR .	ON	2006/02/19 22:35
S39	0	((physical adj2 layer)near3 (loss\$3 or fail\$3))same ((receiv\$3 or obtain\$3 or get\$4) with data) and (server and atm)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:35
S40	3	((physical adj2 layer)near3 (loss\$3 or fail\$3))same ((receiv\$3 or obtain\$3 or get\$4) with data) and (atm)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:36
S41	3	((physical adj2 layer)near3 (loss\$3 or fail\$3))same ((receiv\$3 or obtain\$3 or get\$4) with data) and (atm)and (data near3 rate)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:41
S42	0	((physical adj2 layer)near3 (loss\$3 or fail\$3))same ((receiv\$3 or obtain\$3 or get\$4) with data) and atm and ((data near3 rate) same buffer)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:38
S43	1	((physical adj2 layer)near3 (loss\$3 or fail\$3))same ((receiv\$3 or obtain\$3 or get\$4) with data) and atm and ((data near3 rate) and buffer)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:38

2/20/06 1:04:45 AM C:\Documents and Settings\jjeangilles\My Documents\EAST\Workspaces\10043540.wsp Page 4

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	7827	((709/203) or (709/229) or (709/238) or (709/249) or (710/52) or (713/151) or (370/217) or (370/230) or (370/235)).CCLS.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:22
S2	80983	(("709") or ("710") or ("713") or ("370")).CLAS.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:24
S3	8810	richardson.inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:25
S4	311604	william.inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:25
S5	444511	john.inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:25
S6	67	S3 and S4 and S5	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:26
S7	740882	(richardson john william).inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:26
S8	11	("richardson john william").inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:28
S9	72844	asynchronous	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:28
S10	85847	(asynchronous near3 transfer near3 mode) or ("ATM")	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:32
S12	3886	((asynchronous near3 transfer near3 mode) or ("ATM")) and (data near2 stream)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:33
S13	154	((asynchronous near3 transfer near3 mode) or ("ATM")) and ((data near2 stream)same buffer same (customer or client or user)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:36
S14	92	((asynchronous near3 transfer near3 mode) or ("ATM")) and ((data near2 stream) same buffer same (customer or client or user) same (receiv\$3 or send\$3))	USPAT; EPO; JPO; DERWENT	OR	OFF	2006/02/19 22:12

	LAST Search history							
S15	2	((asynchronous near3 transfer near3 mode) or ("ATM")) and ((data near2 stream) same buffer same (customer or client or user) same (receiv\$3 or send\$3)) and (physical with layer with recover\$3)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:43		
S16	0	((asynchronous near3 transfer near3 mode) or ("ATM")) and ((data near2 stream near5 deliver\$3) same buffer same (customer or client or user) same (receiv\$3 or send\$3)) and (physical with layer with recover\$3)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:39		
S17	23	((asynchronous near3 transfer near3 mode) or ("ATM")) and ((data near2 stream) same buffer same (customer or client or user) same (receiv\$3 or send\$3)) and (physical with layer)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:43		
S18	16	((asynchronous near3 transfer near3 mode) or ("ATM")) and ((data near2 stream) same buffer same (customer or client or user) same (receiv\$3 or send\$3)) and (physical with layer) and server	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:44		
S19	6	((asynchronous near3 transfer near3 mode) or ("ATM")) and ((data near2 stream) same buffer same (customer or client or user) same (receiv\$3 or send\$3)) and (physical with layer) and (server same buffer)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 16:44		
S20	6	((asynchronous near3 transfer near3 mode) or ("ATM")) and ((data near2 stream) same buffer same (customer or client or user) same (receiv\$3 or send\$3)) and (physical with layer) and (server same buffer) and ((information or data) same rate)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 17:29		
S21	4	((asynchronous near3 transfer near3 mode) or ("ATM")) and ((data near2 stream) same buffer same (customer or client or user) same (receiv\$3 or send\$3)) and (physical with layer) and (server same buffer) and (information or data) same rate) and (lost with(packet or data))	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 17:36		

S22	3	((asynchronous near3 transfer near3 mode) or ("ATM")) and ((data near2 stream) same buffer same (customer or client or user) same (receiv\$3 or send\$3)) and (physical with layer) and (server same buffer) and ((information or data) same rate) and (lost with(packet or data)) and time	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/01 17:37
S23	64	(physical adj2 layer)near3 (loss\$3 or fail\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:35
S24	7182	((customer or user or subscriber)adj2 (premise or unit or site or location or device or computer or node)) with (receiv\$3 or obtain\$3 or get\$4) with data	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:16
S25	0	S23 same S24	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:19
S26	2120	((customer or user or subscriber)adj2 (premise or unit)) with (receiv\$3 or obtain\$3 or get\$4) with data	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:16
S27	0	S23 same S26	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:16
S28	2	S23 and S24	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:28
S29	2	S23 and S24 and server	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:28
S30	2	S23 and S24 and server and atm	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:29
S31	1	S23 and S24 and(server same atm)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:29
S32	1	S23 and S24 and server and atm and (buffer\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:30
S33	1	S23 and S24 and server and atm and (buffer\$3) and (rate with data)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:30
S34	1	S23 and S24 and server and atm and (rate with data)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:30

S35	2	S23 and S24 and server and atm	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:32
S36	1	S23 and S24 and server and atm and rate	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:32
S37	7	((physical adj2 layer)near3 (loss\$3 or fail\$3))same ((receiv\$3 or obtain\$3 or get\$4) with data)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:43
S38	0	((physical adj2 layer)near3 (loss\$3 or fail\$3))same ((receiv\$3 or obtain\$3 or get\$4) with data) and (server same atm)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:35
S39	0	((physical adj2 layer)near3 (loss\$3 or fail\$3))same ((receiv\$3 or obtain\$3 or get\$4) with data) and (server and atm)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:35
S40	3	((physical adj2 layer)near3 (loss\$3 or fail\$3))same ((receiv\$3 or obtain\$3 or get\$4) with data) and (atm)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:36
S41	3	((physical adj2 layer)near3 (loss\$3 or fail\$3))same ((receiv\$3 or obtain\$3 or get\$4) with data) and (atm)and (data near3 rate)	USPAT; EPO; JPO; DERWENT	OR ·	ON	2006/02/19 22:41
S42	0	((physical adj2 layer)near3 (loss\$3 or fail\$3))same ((receiv\$3 or obtain\$3 or get\$4) with data) and atm and ((data near3 rate) same buffer)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:38
S43	1	((physical adj2 layer)near3 (loss\$3 or fail\$3))same ((receiv\$3 or obtain\$3 or get\$4) with data) and atm and ((data near3 rate) and buffer)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/02/19 22:38

2/20/06 1:10:58 AM C:\Documents and Settings\jjeangilles\My Documents\EAST\Workspaces\10043540.wsp Page 4